UNCLASSIFIED

AD_____

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION ALEXAMORIA. VIRGINIA

DOWNGRADED AT 3 YEAR INTERVALS
DECLASSIFIED AFFER 12 YARD
DOD DIE 5200.10



UNCLASSIFIED

Armed Services Technical Information Agency

Because of our limited supply, you are requested to return this copy WHEN IT HAS SERVED YOUR PURPOSE so that it may be made available to other requesters. Your cooperation will be appreciated.



NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEVINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U.S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

Reproduced by DOCUMENT SERVICE CENTER





CONFIDENTIAL Security Information

SUPPLEMENTARY BI-MONTHLY

PROGRESS REPORT NO. 12

On

CONTRACT NO. NObsr-42419 (TRANSVAR ROTARY JOINT)

CONFIDENTIAL

SUBMITTED BY

BUREAU OF SHIPS

On

CONTRACT NO. NObsr-42419

INDEX NO. NEO50526

ВУ

SPERRY GYROSCOPE COMPANY Division of The Sparry Corporation Great Neck, New York

DATE OF REPORT: April 30, 1953

FURTHER DISSEMINATION IS AUTHORIZED ONLY TO MILITARY AGENCIES.

CONFIDENTIAL

5441 52446



CONFIDENTIAL Security Information

CLASSIFICATION NOTICE

This document is classified as CONFIDENTIAL and contains information affecting the national defense of the United States within the meaning of the Espionage Act, 50 U.S.C., 31 and 32, as amended. Its transmission or the revelation of its contents in any manner to an unauthorised person is prohibited by law.

5414 52446



CONFIDENTIAL Security Information

Contract No. Nobar-42419 INTRODUCTION:

The purpose of the current program of the reactivated subject contract is to study both theoretically and experimentally the Transvar rotary joint. It is also the purpose of this program to complete the development of the joint to provide a final, complete working model.

The current program is a reactivation of subject contract previously completed on June 30, 1950 and is manifested by a change in work content of the original contract. This program, in requesting a final complete working model, calls for further development on the Transvar rotary joint, resulting in more desirable electrical characteristics such as lower insertion loss, high power capacity, uniform characteristics with rotation, eight percent bandwidth at 9365 Mc., and the incorporation of mechanical features such as bearings, dust seals and mounting lugs. Consideration will be given to methods of pressurization and problems involved in production design.

FINAL MODEL OF TRANSVAR ROTARY JOINT:

The fabrication and assembly of the rotary joint has been completed and electrical tests of VSWR and insertion loss have been made over the frequency range 8900-9900 megacycle.

Resonant characteristics were observed at 9027, 9274, 9527 and 9793 megacycles, where high insertion losses, in excess of



CONFIDENTIAL Security Information

Page 2 Contract No. NObsr-12119

20 db, were observed at particular rotational positions in the diagonal-arm operating condition. Between resonant frequencies the maximum insertion loss is about 1 db and VSWR of about 1.5 throughout the complete rotation.

Accelerated tests are now being made on the life of the oil seals. Only one seal is undergoing test and after 80,000 revolutions no sign of wear on either the seal or on the anodysed rubbing surface is evident. These tests will be continued to obtain more data on the seals.

UNCLASSIFIED

LND



UNCLASSIFIED